

# BB-d™ Measurement Form

DATE: \_\_\_\_\_

PATIENT: \_\_\_\_\_ PROSTHETIST: \_\_\_\_\_ PO NUMBER: \_\_\_\_\_

The BB-d™ Definitive Prosthesis is Pre-Fabricated in 9" STOCK Sizes Or (As a Custom) to the Prosthetist's Measurements and/or Cast of the Patient. All Sockets Accommodate: Bulbous, Cylindrical or Conical Shapes. The BB-d™ is Durable and is, Supplied with a 4-Hole Pyramid Socket Attachment Plate, Ready to accept Components of your Choice.

Patient's Weight: \_\_\_\_\_

Residuum: \_\_\_\_\_ Left \_\_\_\_\_ Right

9" Stock Length Order:

Distal Circumference Size: 13" \_\_\_\_\_

15" \_\_\_\_\_

17" \_\_\_\_\_

CUSTOM ORDER:

From Cast (PROVIDED BY PRACTITIONER)

From Measurements (PROVIDED BY PRACTITIONER)



BB-d™

Length (OF RESIDUUM): \_\_\_\_\_ From Mid Patella Tendon To Distal End

AP (ANTERIOR TO POSTERIOR): \_\_\_\_\_ At Mid Patella Tendon (RELAXED KNEE)  
\_\_\_\_\_ At Tibia Tubercle (KNEE IN FULL EXTENSION)  
\_\_\_\_\_ At Deepest Part of Calf (KNEE IN FULL EXTENSION)  
\_\_\_\_\_ At 2" Proximal to Distal End (KNEE IN FULL EXTENSION)

ML (MEDIAL TO LATERAL SIDE): \_\_\_\_\_ At Superior Knee Area (KNEE IN FULL EXTENSION)  
\_\_\_\_\_ At Knee Center (KNEE IN FULL EXTENSION)  
\_\_\_\_\_ At Tibial Flare (KNEE IN FULL EXTENSION)  
\_\_\_\_\_ At Deepest Part of Calf (KNEE IN FULL EXTENSION)  
\_\_\_\_\_ At 2" Proximal to Distal End (KNEE IN FULL EXTENSION)

Circumferences: \_\_\_\_\_ At Knee Center (RELAXED KNEE)  
\_\_\_\_\_ At Tibial Flare (KNEE IN FULL EXTENSION)  
\_\_\_\_\_ At Widest Part of Calf (KNEE IN FULL EXTENSION)  
\_\_\_\_\_ At 2" Proximal to Distal End (KNEE IN FULL EXTENSION)



FLO-TECH® O & P Systems, Inc.  
PO Box 462 - 7325 Halseyville Road  
Trumansburg, New York 14886  
www.1800FLO-TECH.com

All materials © FLO-TECH® May 11, 1995, MODIFIED July 1, 2008

Phone: 1-800-FLO-TECH (356-8324)  
Phone: (607) 387-3070  
Fax: (607) 387-3176  
E-mail: info@1800FLO-TECH.com

# BB-d™ Transtibial Order Form

Date of Order: \_\_\_\_\_ **NEED BY:** \_\_\_\_\_

VISA - MASTERCARD# \_\_\_\_\_ EXP DATE: \_\_\_\_\_

NAME AS IT APPEARS ON CARD: \_\_\_\_\_ PO#: \_\_\_\_\_

Patient: \_\_\_\_\_ Prosthetist: \_\_\_\_\_ Phone: \_\_\_\_\_

Company: \_\_\_\_\_ Billing Address: \_\_\_\_\_

Shipping Address: \_\_\_\_\_

**RESIDUM: Left** \_\_\_\_\_ **Right** \_\_\_\_\_ **PATIENT'S WEIGHT** \_\_\_\_\_ **lbs.** **K Level** \_\_\_\_\_

ALL STOCK BB-d™ sockets are for patient weights UNDER 180 Lbs. & K Levels = 0 to 1

**STOCK SIZES:**  
**\$725.95**      13 \_\_\_\_\_: 9" (23cm) to 13" (33cm) MPT  
                   15 \_\_\_\_\_: 11" (28cm) to 15" (38cm) MPT  
                   17 \_\_\_\_\_: 13" (33cm) to 17" (43cm) MPT

**STOCK Length 9" – Made from Polypro & Co-poly or Modified Poly Ethylene (MPE)**

<b>LENGTH (OF RESIDUUM)</b>	_____	From Mid Patella Tendon To Distal End
<b>AP (ANTERIOR TO POSTERIOR)</b>	_____	At Mid Patella Tendon (RELAXED KNEE)
	_____	At Tibia Tubercle (KNEE IN FULL EXTENSION)
	_____	At deepest Part Of Calf (KNEE IN FULL EXTENSION)
	_____	At 2" Proximal To Distal End (KNEE IN FULL EXTENSION)
<b>ML (MEDIAL TO LATERAL SIDE)</b>	_____	At Superior Knee Area (KNEE IN FULL EXTENSION)
	_____	At Knee Center (KNEE IN FULL EXTENSION)
	_____	At Tibial Flare (KNEE IN FULL EXTENSION)
	_____	At Widest Part Of Calf (KNEE IN FULL EXTENSION)
	_____	At 2" Proximal To Distal End (KNEE IN FULL EXTENSION)
<b>Circumferences:</b>	_____	At Knee center (RELAXED KNEE)
	_____	At MPT (KNEE IN FULL EXTENSION)
	_____	At Tibial Flare (KNEE IN FULL EXTENSION)
	_____	At Widest Part Of Calf (KNEE IN FULL EXTENSION)
	_____	At 2" Proximal To Distal End (KNEE IN FULL EXTENSION)

**CUSTOM (check type of system ordered [by price] below and refer to measurement sheet for specifics):**

From Cast: <input type="checkbox"/>	From Measurements (see measurement form): <input type="checkbox"/>	LEFT: <input type="checkbox"/>	RIGHT: <input type="checkbox"/>
< 160 lbs \$695.95 <input type="checkbox"/>	< 180 lbs 715.95 <input type="checkbox"/>	< 200 lbs 725.95 <input type="checkbox"/>	< 250 lbs \$825.95 <input type="checkbox"/>
= K - 0	= K - 0 to 1	= K - 1 to 2	= K - 1 to 3
Non-ambulatory (Polypro & MPE)	(Polypro & Co-Poly or MPE)	(Fib-Glass / Ac-Res) & Co-Poly/MPE)	(Fib-Glass / Ac-Res & Co-Poly or MPE)

**CUSTOM** sockets are fabricated as directed by the ordering Prosthetist and according to patient weight and activity level with: acrylic resin, polypropylene, MPE, polyethylene, co-poly or a combination of these materials, and can also be fabricated with: distal connectors for pin suspension liners (gel, silicone or similar), or any other components provided by the ordering prosthetist.

**ALL MODIFIED AND CUSTOM ORDERS (AS WELL AS STOCK ITEMS MORE THAN 90 DAY OLD) ARE NON-RETURNABLE.**

**All BB-d™ Sockets Include: Grace Plate, Socket Attachment Plate, Distal Pad Ready For Custom Carving and Distal Pad Kit.**

<b>OPTIONS:</b> (All other components MUST be provided by the Prosthetist)	<b>Quantity</b>	<b>Price</b>	<b>Ext.</b>
A. Design Assessment .....	_____	\$ 25.95	_____
B. Cast (or mold) preparation .....	_____	\$ 25.95	_____
C. Pour Cast .....	_____	\$ 25.95	_____
D. Cast (or mold) modification (from cast provided by practitioner (each)) .....	_____	\$ 75.95	_____
E. Minor cast modification .....	_____	\$ 29.95	_____
F. Test Socket .....	_____	\$ 95.95	_____
G. Titanium components: TT-4-bolt adapter, pyramid socket attachment plate, pylon, Tube clamp adapter & pyramid foot adapter .....	_____	\$ 375.95	_____
H. Stainless Steel components: TT-4-bolt adapter, pyramid socket attachment plate, pylon, Tube clamp adapter & pyramid foot adapter .....	_____	\$ 239.95	_____
I. Suspension: TT - fork strap, waist belt w/ext. aid .....	_____	\$ 45.95	_____
J. Pelite Liner .....	_____	\$ 180.95	_____
K. Pelite distal pad (removable).....PER 1/2 INCH.....	_____	\$ 30.95	_____
L. Pelite wedge (lateral).....	_____	\$ 25.95	_____
M. Other: _____	_____	\$ _____	_____

**TOTAL \$** \_\_\_\_\_

# BB-d™ Transfemoral Order Form

Date of Order: \_\_\_\_\_ **NEED BY:** \_\_\_\_\_

VISA - MASTERCARD# \_\_\_\_\_ EXP DATE: \_\_\_\_\_

NAME AS IT APPEARS ON CARD: \_\_\_\_\_ PO#: \_\_\_\_\_

Patient: \_\_\_\_\_ Prosthetist: \_\_\_\_\_ Phone: \_\_\_\_\_

Company: \_\_\_\_\_ Billing Address: \_\_\_\_\_

Shipping Address: \_\_\_\_\_

**RESIDUM: Left \_\_\_\_\_ Right \_\_\_\_\_ PATIENT'S WEIGHT \_\_\_\_\_ lbs. K Level \_\_\_\_\_**

**ALL STOCK BB-d™ sockets are for patient weights UNDER 180 Lbs. & K Levels = 0 to 1**

**STOCK SIZES:**  
**\$1,015.95**      20 \_\_\_\_\_ : 14" (36cm) to 20" (51cm) Ischial Circumference  
                          24 \_\_\_\_\_ : 18" (46cm) to 24" (61cm) Ischial Circumference  
                          28 \_\_\_\_\_ : 22" (56cm) to 28" (71cm) Ischial Circumference

**STOCK Length 12" – Made from Polypro & Co-poly or Modified Poly Ethylene (MPE)**

<b>LENGTH (OF RESIDUUM)</b>	_____	From Ischium To Distal End
<b>AP (ANTERIOR TO POSTERIOR)</b>	_____	At Proximal Area
	_____	At Deepest Part of Residuum
	_____	At 3" Proximal To Distal End
<b>ML (MEDIAL TO LATERAL SIDE)</b>	_____	At Trochanter
	_____	At Proximal Area
	_____	At Widest Part of Residuum
	_____	At 3" Proximal To Distal End
<b>Circumferences:</b>	_____	At Proximal Area
	_____	At Widest Part of Residuum
	_____	At Widest Part of Distal End
	_____	At 3" Proximal To Distal End

**CUSTOM (check type of system ordered [by price] below and refer to measurement sheet for specifics):**

From Cast: <input type="checkbox"/>	From Measurements (see measurement form): <input type="checkbox"/>	LEFT: <input type="checkbox"/>	RIGHT: <input type="checkbox"/>
< 160 # \$945.95 <input type="checkbox"/>	< 180 # 1,005.95 <input type="checkbox"/>	< 200 # 1,035.95 <input type="checkbox"/>	< 250 # \$1,135.95 <input type="checkbox"/>
= K - 0	= K - 0 to 1	= K - 1 to 2	= K - 1 to 3
Non-ambulatory (Polypro & MPE)	(Polypro & Co-Poly or MPE)	(Fib-Glass / Ac-Res) & Co-Poly/MPE)	(Fib-Glass / Ac-Res & Co-Poly or MPE)

**CUSTOM** sockets are fabricated as directed by the ordering Prosthetist and according to patient weight and activity level with: acrylic resin, polypropylene, MPE, polyethylene, co-poly or a combination of these materials, and can also be fabricated with: distal connectors for pin suspension liners (gel, silicone or similar), or any other components provided by the ordering prosthetist.

**ALL MODIFIED AND CUSTOM ORDERS (AS WELL AS STOCK ITEMS MORE THAN 90 DAY OLD) ARE NON-RETURNABLE.**

**All BB-d™ Sockets Include: Grace Plate, Socket Attachment Plate, Distal Pad Ready For Custom Carving and Distal Pad Kit.**

<b>OPTIONS:</b> (All other components MUST be provided by the Prosthetist)	<b>Quantity</b>	<b>Price</b>	<b>Ext.</b>
A. Design Assessment .....	_____	\$ 25.95	_____
B. Cast (or mold) preparation.....	_____	\$ 25.95	_____
C. Pour Cast.....	_____	\$ 29.95	_____
D. Cast (or mold) modification (from cast provided by practitioner (each)).....	_____	\$ 75.95	_____
E. Minor cast modification .....	_____	\$ 29.95	_____
F. Test Socket.....	_____	\$ 85.95	_____
G. Titanium components: TT-4-bolt adapter, pyramid socket attachment plate, pylon, Tube clamp adapter & pyramid foot adapter .....	_____	\$ 275.95	_____
H. Stainless Steel components: TT-4-bolt adapter, pyramid socket attachment plate, pylon, Tube clamp adapter & pyramid foot adapter .....	_____	\$ 195.95	_____
I. Suspension TF - waist belt w/ext. aid .....	_____	\$ 79.95	_____
J. Pelite Liner .....	_____	\$ 210.95	_____
K. Pelite distal pad (removable).....PER 1/2 INCH.....	_____	\$ 45.95	_____
L. Manual Locking Knee.....	_____	\$ 279.95	_____
M. Other: _____	_____	\$ _____	_____
		<b>TOTAL \$</b>	_____